

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	23	parallel adj (functionality or process\$3) same (lookup or look\$1up or look adj up) same (table\$1 or database\$1 or entr\$3) and ("370".clas. or "711".clas.)	USPAT	OR	OFF	2007/11/15 10:59
S3	2	("20050083945").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 07:54
S4	7	SINGH-GAURAV.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:13
S5	1	KANI-ALI.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:14
S6	1	KATTEL-KIRAN.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:14
S7	4	SUBRAMANIAN-SRIDHAR .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:14
S8	7	YANG-BRIAN-HANG-WAI.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/09 18:16

## EAST Search History

S10	334	370/395.31.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 07:47
S11	29560	370/389-423.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/13 07:48
S12	4787	(controller\$1 or manager\$1) same (table\$1 or database\$1 or memor\$3) and S11	USPAT	OR	OFF	2007/11/13 07:58
S13	987	(controller\$1 or manager\$1) same (table\$1 or database\$1 or memor\$3) same (MAC or media adj access adj control or IP or internet adj protocol) and S11	USPAT	OR	OFF	2007/11/13 07:59
S14	706	(controller\$1 or manager\$1) with (table\$1 or database\$1 or memor\$3) same (MAC or media adj access adj control or IP or internet adj protocol) and S11	USPAT	OR	OFF	2007/11/13 08:00
S15	423	(controller\$1 or manager\$1) with (table\$1 or database\$1 or memor\$3) with (MAC or media adj access adj control or IP or internet adj protocol) and S11	USPAT	OR	OFF	2007/11/13 08:00
S16	19	(controller\$1 or manager\$1) with (table\$1 or database\$1 or memor\$3) with ((MAC or media adj access adj control) AND (IP or internet adj protocol)) and S11	USPAT	OR	OFF	2007/11/13 08:40
S20	727	controller\$1 with (layer adj "2")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:07
S21	634	controller\$1 with (layer adj "3")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 08:44

## EAST Search History

S22	223	S20 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 08:44
S23	51	S20 and S21 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 08:44
S24	21	controller\$1 with (layer adj "2") with table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:12
S29	37	controller\$1 with (layer adj "2" adj3 table\$1) or controller\$ with (MAC or media adj access adj control\$3) adj3 table\$1 and controller\$1 with (layer adj "3" adj3 table\$1) or controller\$ with (IP or internet adj protocol\$1) adj3 table\$1 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:20
S31	106	(controller\$1 with ((layer adj "2" or "L2") adj3 table\$1) or controller\$ with (MAC or media adj access adj control\$3) adj3 table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:42
S32	87	controller\$1 with (layer adj "3" or "L3") adj3 table\$1 OR controller\$ with (IP or internet adj protocol\$1) adj3 table\$1 OR "L2"\$1L3 adj controller\$1 with (layer adj "3" or "L3") adj3 table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:15
S34	11	S32 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 09:44

## EAST Search History

S38	5	("L2"\$1L3 or "L3"\$1L2) adj (controller\$1 or manager\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 12:52
S40	95	("L2"\$1L3 or "L3"\$1L2) with (controller\$1 or manager\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 12:52
S41	4	("L2"\$1L3 or "L3"\$1L2) with (controller\$1 or manager\$1 or processor\$1) same table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:03
S42	9	("L2"\$1L3 or "L3"\$1L2) same (controller\$1 or manager\$1 or processor\$1) same table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:08
S43	5819	(configur\$3 or arrang\$3 or assembl\$3 or built) with "L3"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:16
S44	2955	"L3" with (configur\$3 or arrang\$3 or assembl\$3 or built) with "L2"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:17
S45	95	"L3" with (configur\$3 or arrang\$3 or assembl\$3 or built) with "L2" same table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:18

## EAST Search History

S46	44	"L3" with (configur\$3 or arrang\$3 or assembl\$3 or built) with "L2" with table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:44
S47	142	("L3" or layer adj "3") adj3 (table\$1 or database\$3) with (MAC or media adj access adj control\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 13:51
S49	167	(layer adj "2" or "L2") with (look\$1up or look adj up) and (layer adj "3" or "L3") with (look\$1up or look adj up)	USPAT	OR	OFF	2007/11/13 14:22
S50	154	(layer adj "2" or "L2") with (look\$1up or look adj up) same (layer adj "3" or "L3") with (look\$1up or look adj up)	USPAT	OR	OFF	2007/11/13 14:23
S51	52	(layer adj "2" or "L2") adj3 (look\$1up or look adj up) same (layer adj "3" or "L3") adj3 (look\$1up or look adj up)	USPAT	OR	OFF	2007/11/13 14:23
S52	7	controller\$1 with (layer adj "3" or "L3") adj3 table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:20
S53	611	(layer adj "3" or "L3") adj3 (controller\$1 or processor\$1 or manager\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 15:22
S54	13	(layer adj "3" or "L3") adj3 (controller\$1 or processor\$1 or manager\$1) with table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 16:40

## EAST Search History

S55	2	"L2"\$1L3 adj (look\$1up or look adj up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/13 16:41
S56	10	"L2"\$1L3 with (look\$1up or look adj up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 08:39
S57	914	(layer adj "2" or "L2") adj3 table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 08:40
S58	108	(layer adj "2" or "L2") adj3 table\$1 and hash\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 08:41
S59	19	(layer adj "2" or "L2") adj3 table\$1 with hash\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 09:21
S60	107	(layer adj "3" or "L3") adj3 table\$1 with ((layer adj "3" or "L3") and (layer adj "2" or "L3")) adj3 (entr\$3 or data or field\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 09:32
S61	5	(layer adj "3" or "L3") adj3 table\$1 with ((layer adj "3" or "L3") and (layer adj "2" or "L2")) adj3 (entr\$3 or data or field\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:43

## EAST Search History

S62	1	(layer adj "3" or "L3") adj3 table\$1 same ("72"\$1bit\$1 or "72" adj bit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:45
S64	1	(layer adj "3" or "L3") adj3 table\$1 same ("90"\$1bit\$1 or "90" adj bit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:47
S66	19603	first adj3 table same second adj3 table\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:50
S67	488	first adj3 table same second adj3 table\$1 and ((layer adj "2" or "L2") same (layer adj "3" or "L3"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 12:52
S68	21	first adj3 table same second adj3 table\$1 same ((layer adj "2" or "L2") same (layer adj "3" or "L3"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:09
S69	1	first adj3 table same second adj3 table\$1 same "L2"\$1L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:19
S70	1401	first adj3 table same second adj3 table\$1 and (first adj3 (lookup or look\$1up or look adj up) and second adj3 (lookup or look\$1up or look adj up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:23

## EAST Search History

S71	1311	(first adj3 table same second adj3 table\$1) same (first adj3 (lookup or look\$1up or look adj up) and second adj3 (lookup or look\$1up or look adj up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:24
S72	151	(first adj3 table same second adj3 table\$1) same (first adj3 (lookup or look\$1up or look adj up) and second adj3 (lookup or look\$1up or look adj up)) and ("370".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:29
S73	178	(second adj3 table\$1) same (first adj3 (lookup or look\$1up or look adj up)) and ("370".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 13:32
S75	98	(second adj3 table\$1) with (first adj3 (lookup or look\$1up or look adj up)) and ("370".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:10
S76	303	(table\$1) same (first adj3 (lookup or look\$1up or look adj up)) and mode and ("370".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:11
S77	13	(table\$1) same (first adj3 (lookup or look\$1up or look adj up)) same mode and ("370".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:14
S78	1	(table\$1) same (first adj3 (lookup or look\$1up or look adj up)) same (first or second) adj (mode or embodiment or arrangement) and ("370".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:16

## EAST Search History

S79	28	(table\$1) same (first adj3 (lookup or look\$1up or look adj up)) same (first or second) adj (mode or embodiment or arrangement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:24
S80	2258	(table\$1) with (first adj3 (lookup or look\$1up or look adj up)) and (table\$1) with (second adj3 (lookup or look\$1up or look adj up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:25
S81	241	(table\$1) with (first adj3 (lookup or look\$1up or look adj up)) and (table\$1) with (second adj3 (lookup or look\$1up or look adj up))and ("370".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:27
S88	93	((first adj3 table\$1) with (first adj3 (lookup or look\$1up or look adj up)) AND (first adj3 table\$1) with (second adj3 (lookup or look\$1up or look adj up)) OR (second adj3 table\$1) with (first adj3 (lookup or look\$1up or look adj up)) AND (second adj3 table\$1) with (second adj3 (lookup or look\$1up or look adj up))) and ("370".clas. or "711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:41
S89	1	("6907469").PN.	USPAT; USOCR	OR	OFF	2007/11/14 17:05
S91	1	table\$1 same (more adj2 ("72"\$1bit\$1or72bits) or least adj2 ("72"\$1bit\$1 or 72bit\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/14 18:04
S92	3929	table\$1 with (more adj2 bit\$1 or least adj2 bit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/14 18:05

## EAST Search History

S93	346	table\$1 with (more adj2 bit\$1 or least adj2 bit\$1) and "370".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/14 18:05
-----	-----	---	--	----	-----	------------------